

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

## JUL 2 5 2006

ASP Plastics Pty Limited C/O Dr. Albert Rego Scientific Consultant 2700 La Paz Road, Suite 314 Mission Viejo, California 92691

Re: K060037

Trade/Device Name: ASP HealthCare FITPACK® PRODUCT LINE

Regulation Number: 880.5570

Regulation Name: Hypodermic Single Lumen Needle

Regulatory Class: II Product Code: MMK Dated: June 30, 2006 Received: July 5, 2006

## Dear Dr. Rego:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/industry/support/index.html.

Sincerely yours,

Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital, Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

## **Indications for Use**

510(k) Number (if known): <u>K060037</u>
Device Name: ASP HealthCare FITPACK®PRODUCT LINE
Indications for Use:
The Fitpack® DS-128 and DS-130 Fit Tank Products are intended to be used for the collection, transportation and disposal of hypodermic needles and syringes in health care areas, home care environment and any other area requiring the use of sharps containers for the collection, transportation and disposal of used hypodermic needles and syringes.
The Fitpack® DS-047 Disposa Safe Clean Up, DS-091 Disposa Safe Products are intended to be used for the collection, transportation and disposal of 1 ml insulin hypodermic needles and syringes in health care areas, home care environment and any other area requiring the use of sharps containers for the collection, transportation and disposal of used 1 ml insulin hypodermic needles and syringes.
The Fitpack <sup>®</sup> DS-046 mini fit tube Product is intended to be used for the collection, transportation and disposal of 1 ml and 2 ml hypodermic needles and syringes in health care areas, home care environment and any other area requiring the use of sharps containers for the collection, transportation and disposal of used 1 ml and 2 ml hypodermic needles and syringes.
Prescription Use AND/OR Over-The-Counter UseX (Part 21 CFR 801 Subpart D) (21 CFR 801 Subpart C)  (PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF NEEDED)
Concurrence of CDRH, Office of Device Evaluation (ODE)
Study Munday 10 1/25/04  Sign-Off)  Off Anesthesiology, General Hospital,  Con Control, Dental Devices  Number 606 00 3 7
Page 1 of